

GerberColor™ Medal (GCM) Series Foils

DESCRIPTION.....	1
INTENDED APPLICATIONS	1
PERFORMANCE LIFE	2
SHELF LIFE AND STORAGE	



Gerber StrikeGuard is an 8.0-mil, clear, glossy overlamine film designed for a variety of applications. This heavy-duty overlamine film is ideal for the protection of graphics, up to two years, and is especially beneficial where printed graphics experience severe handling and forceful impact. Gerber StrikeGuard is not recommended in applications that require petrochemical protection or where additional UV or vandal resistance is desired.

Abrasion Guard SPF (Sign Protection Formula) is a clear, top-coat GerberColor Finishing Series (GCF) Foil designed for use with EDGE® Series thermal transfer printing systems, to protect graphics from moderate contact and exposure to harmful effects of UV rays. It has an expected performance life of five years (when printed by itself). When applied as a protective overprint on other GerberColor Foils, Abrasion Guard SPF will extend the life of the base color by up to 30%.

Matte Clear is a clear matte finish, top coat GerberColor Foil designed for use with EDGE® Series thermal transfer printing systems, to reduce glare and protect graphics from moderate contact or handling. It has an expected performance life of three years.

When transferring graphics produced with EDGE Series Printers, Gerber standard tack application tape is required. Printed graphics should be allowed to cure for 15 minutes before application of transfer tape.

Note: Use of Silver Medal II requires more frequent head cleanings.

To clean printed graphics, use a mild, non-abrasive soap with a soft cloth or sponge. Avoid using alcohol-based cleansers or soaps containing grit or abrasives. Automated vehicle washing systems that use rotary cleaning brushes should also be avoided.

Foil	
Pigment	Dye vapor-coated aluminum
Coat Weight	4.0 microns
Liner Thickness	12 microns
Foil Length - <i>minimum</i>	27.34 yards (25 meters)

Cartridge	
Cores	Black Polyethylene
End Shell	Black ABS Plastic
End Plugs	Black ABS Plastic
Side Rails	Black ABS Plastic
Cartridge Weight	1 lb 6 oz



Refer to Product Bulletins of relevant foils and materials for product-specific handling, production, and finishing information.

For help with questions concerning Gerber products, please call your distributor or Gerber Customer Service at 1-800-222-7446 or (860) 644-1551. Visit us on the Internet at www.gspinc.com to learn more about our many other foils, materials and equipment.

EDGE, GERBER EDGE, GERBER EDGE 2, Gerber Scientific Products, GerberCal, GerberGraphics, GRAPHIX ADVANTAGE, GSP, and Images on Vinyl are Registered Trademarks of Gerber Technology.

Abrasion Guard, ColorSet, EDGE Positive, EDGE READY, Gerber AutoMag, GERBER EDGE FX, Gerber FastFacts, Gerber Guard, Gerber HoloGraphix, Gerber ImageCal, Gerber ImageCast, Gerber InstaChange, Gerber OMEGA, Gerber PermaGrip, Gerber PlastiGraphix, Gerber QUANTUM, GerberStardust, Gerber StrikeGuard, Gerber Tone, Gerber UVGuard, GerberCal, GerberColor, GerberColor Spectratone, GerberGauge, GerberGlow, GerberMag, GerberMask, GerberVision, GS 15, GS15plus, GSP Plot, GSxplus, GSx, ImagePerfect, IMAGE READY, LexEdge, Matched Technology System, MTS, ODYSSEY, OMEGA, Process Pro, SpectraShade, and SpectraTint are Trademarks of Gerber Technology.

PANTONE, and other Pantone, Inc., trademarks are the property of Pantone, Inc.

3M is a trademark of 3M Company.

TEDLAR is a registered trademark of DuPont.

©2015 Gerber Technology. All Right Reserved

Category: GerberColor Foils **FastFact #:** 5561 **Supplied by:** Afterm()-101.24 reW* nBT/F2 8.04 7

